



A business model (cmp. earning logic) describes the key choices that a firm makes to achieve sustainable operation. The business models of existing firms in existing markets often seem trivial, while those of new firms in new markets appear challenging.

Internet enables new business models for new digital products and services (e.g. Sonera/ringing tones). In addition, Internet enables new business models that change the traditional markets of physical products for instance by shortening the logistics chains (e.g. Amazon/books).



Telecom business used to be a simple national government telephony monopoly in most countries. Its liberalization and privatization in the 1990s opened brought competition. At the same time the new developments in technology (Internet and mobile) caused a fast increase in volume and variety of the service portfolio. Now the convergence of telephony, computer and TV networks changes the market dynamics. Telecom has become a complex business.


One indicator of complexity is the growing number of different roles of firms interacting in the telecom market (i.e. firms living in the same ecosystem, firms participating to the same value network).



A simplified reference model can be used to describe the possible roles and the possible relationships between the roles.


A real firm in a real market may choose to play multiple roles, which turns the firm more complex but may simplify the market. Thus, although the telecom reference model is globally relevant, it has local instances with local national peculiarities. This variation is one obstacle for copying a successfull business model from one country to another.

For instance, a mobile operator may play several roles: service operator, access network operator, core network operator, handset distributor, content aggregator (e.g. NTT DoCoMo in Japan). However, in some countries the number of roles can be limited by law (e.g. prohibition of bundling GSM handsets and subscriptions in Finland).



Each role in the reference model is relevant because it creates unique value to endusers. This unique added value justifies the corresponding role within the value system.

A simplified set of the most important end-user values in telecom can be used to characterize the mapping between roles and values.



1 C	


Operator Business Changing (1/2) Driven by Government Intentions

PAST	FUTURE
Government ownership	Private ownership
Monopolies	Competing oligopolies
Local operators	Global operators
Real operators	Virtual operators
Value chains	Value nets
Long-term focus	Quarterly focus
Static budgets	Rolling budgets

Helsinki University of Technology Networking Laboratory

S-38.041/H Hämmäinen

PAST	FUTURE
Dedicated networks	All IP
Dedicated operators	Full-service operators
High margins	Low margins
Wireline	Wireless
Incremental investments	Large investments
Subscriptions	Subscribers
Interconnect agreements	+ Roaming agreement






Market Value per Service Case: US service providers' annual revenues, 2003


Total telecom	\$300B
Cellular	80
Internet	35
dedicated access	15
residential dial	10
residential broadband	10

Helsinki University of Technology Networking Laboratory


S-38.041/H Hämmäinen


Service	Typical monthly bill	Revenue per MI
Cable	\$40	\$0.00012
Broadband Internet	50	0.025
Phone	70	0.08
Dial Internet	20	0.33
Cell phone	50	3.50
SMS		3000.00
Volume and w are still unexploited opp ntiated voice quality lev not have been a surpris	els, etc.). The success	ecially in 3G (with







Network Operator	MVNO	Service Operator	Brand Operator
TeliaSonera ⁽¹⁾		Sonera, Saunalahti, Globetel, Terraflex, ACN	Hesburger Passeli
Radiolinja Origo (1)	Tele2 (2)	Radiolinja, Cubio, MTV 3 Oy	Choice Markantalo
Finnet Verkot ⁽¹⁾		Dna Finland, Fujitsu Invia, Finnet Com, PGFree	
(1) Operators	with GSM	and WCDMA licence	
(2) Operator	with WCDN	MA licence only	











Cost Structure for ISP Traffic

Case: European ISP

Traffic Type	Unit cost (c/MB)	Traffic (%)	Cost component
Upstream international ISP	5c	60%	3c
International peers	2c	8%	0.16c
Domestic trunks	0.3c	5%	0.015c
Cached	0.8c	20%	0.16c
Local traffic	0.05c	7%	0.003c

 \bullet Assumption of peak load at 90% of capacity implies an average load of 35-55%

• Traffic distribution between traffic types is highly ISP-specific

• Price erosion on unit cost (c/MB) is fast (e.g. ?)

Source: Huston G, 1999 (mod) Helsinki University of Technology Networking Laboratory

S-38.041/H Hämmäinen



General ISP Cost Structure

Examples

	US ISP	Non-US ISP	Non-US Transit ISP
Customer support and marketing	50%	20%	10%
Access infrastructure	20%	10%	5%
Backbone network	30%	10%	23%
Upstream ISP		60%	2%
International circuit leases			60%

• Cost structure depends on the position and strategy of ISP

• Special position of US ISPs is gradually disappearing

Source: Huston G, 1999 (mod)
Helsinki University of Technology Networking Laboratory

S-38.041/H Hämmäinen

